In The Claims:

Kindly cancel claims 1-14 without prejudice.

Kindly add the following additional claims.

- 15. (New) A protective sport helmet, comprising:
- a hard shell portion for covering and providing protection to a wearer's head;
 - a lining secured to an inner side of said shell portion;
- a chin strap having a first end secured to a first side of said hard shell portion and a second end secured to a second side of said hard shell portion;
- a facemask portion attached to at least one point on said hard shell portion;
 - a mouthpiece connected to said facemask portion; and
- a plurality of openings formed in said facemask portion to allow air to flow therethrough for purposes of ventilation.
- 16. (New) The helmet of claim 15, wherein said mouthpiece is connected adjacent a bottom portion of said facemask portion.
- 17. (New) The helmet of claim 15, wherein each of said plurality of openings has a larger height than width.
- 18. (New) The helmet of claim 15, wherein said plurality of openings are oriented generally diagonally.
 - 19. (New) A protective sport helmet, comprising: a shell portion;

- a visor secured to said shell portion;
- a facemask in communication with said shell portion;
- a chin strap in communication with said shell portion;
- a mouthpiece secured to said facemask; and
- a plurality of vent openings formed in said mouthpiece.
- 20. (New) The helmet of claim 19, wherein said mouthpiece is connected to said facemask adjacent a bottom portion.
- 21. (New) The helmet of claim 19, wherein said chin strap has a first end engageable with a first side of said facemask and a second end engageable with a second side of said facemask.
- 22. (New) The helmet of claim 19, wherein said plurality of openings are oriented in a generally diagonal direction.
 - 23. (New) A protective sports helmet, comprising:
 - a hard shell portion for receiving and protecting a wearer's head;
 - a lining secured to an inner side of said hard shell portion;
 - a chin strap being releaseably engageable with said hard shell portion;
 - a facemask portion secured and attached to said hard shell portion;
 - a mouthpiece secured to said facemask; and
- at least one vent opening formed in said mouthpiece; said at least one vent opening being oriented generally diagonally.
- 24. (New) The helmet of claim 23, wherein said mouthpiece is formed of a hard plastic material.

- 25. (New) The helmet of claim 23, wherein said at least one vent opening is formed adjacent a front portion of said mouthpiece.
 - 26. (New) A protective sports helmet, comprising:
 - a hard plastic shell;
 - a visor secured to said shell portion;
 - a facemask in communication with said shell portion;
 - a lining secured to an inner side of said hard plastic shell; and
 - at least three ear holes formed in at least one side of the helmet.
- 27. (New) The helmet of claim 26, wherein said at least three ear holes are oriented generally parallel to each other.
- 28. (New) The helmet of claim 26, wherein said at least three ear holes have a longer length than height.
 - 29. (New) A protective sports helmet, comprising:
 - a shell portion;
 - a facemask secured to said shell portion;
 - a chin strap releaseably engageable with said shell portion;
 - a plurality of ear holes formed in said shell portion; and
- a lining secured to an inner side of said shell portion; said lining having a first portion that is releaseably engageable with said inner side to allow a wearer to achieve a better fit.
- 30. (New) The helmet of claim 29, wherein said first portion of said lining generally corresponds to a crown portion of a head of said wearer.

- 31. (New) The helmet of claim 29, wherein said first portion of said lining is releaseably engageable with said shell portion by hook and loop attachment.
- 32. (New) The helmet of claim 29, wherein said lining includes a second portion that is disposed beneath said first portion; said second portion wrapping around at least a portion of a lower edge of said shell portion to provide protection to the base of a wearer's neck.